

Solution of an Economic Production Quantity model using the generalized Hukuhara derivative approach

M. Rahaman^a, S. Maity^{b,*}, S.K. De^c, S.P. Mondal^d and S. Alam^a

a. Department of Mathematics, Indian Institute of Engineering Science and Technology, Shibpur, Howrah-711103, India

b. Department of Applied mathematics with oceanology and computer programming, V.U, Midnapore-721102, W.B, India

c. Department of Mathematics, Midnapore College (Autonomous), Midnapore-721101, W.B, India

d. Department of Applied Science, Maulana Abul Kalam Azad University of Technology, West Bengal, Haringhata, Nadia-741249, W.B, India

KEYWORDS

Production inventory;
Fuzzy differential
equation; Generalized
Hukuhara Derivative;
New defuzzification
method; Optimization.

Abstract. In this study, an economic production quantity (EPQ) model with deterioration is developed where the production rate is stock dependent and the demand rate is unit selling price and stock dependent. The low unit selling price and more stocks correspond high demand but more stock corresponds to slow production because of the avoidance of unnecessary stocks. First of all, we develop the production model by solving some ordinary differential equations having deterministic profit function under some specific assumptions. Later, we develop the fuzzy model by solving the fuzzy differential equations using Generalized Hukuhara derivative. In fact, the differential equation of the model has been split into two parts namely $gH(L-R)$ and $gH(R-L)$ on the basis of left(L) and right(R) α – cuts of fuzzy numbers for which the problem itself is transformed into multi-objective EPQ problem. A new formula of aggregation of several objective values obtained at different aspiration level has been discussed to defuzzify the fuzzy multi-objective problems. We solve the crisp and fuzzy models using LINGO software. Numerical and graphical illustrations confirm that the model under Generalized Hukuhara derivative of (R-L) type contributes more profit which is one of the basic novelties of the proposed approach.

1. Introduction

The basic objective of the supply chain modelling is to make sure the uninterrupted service or flow of goods from manufacturer or dealer to consumer through all possible means. Also, we know the production rate and demand rate are two basic components related to the study of the inventory control problem. Two popular approaches for describing the inventory control problems are economic order quantity (EOQ) model introduced by Harris [1] and economic production quantity (EPQ) model formulated by Taft [2]. The main objective is to find the optimal production quantity or optimal order quantity of the model that minimizes the cost objective function or maximizes the profit function with respect to some real constraints. Traditionally, all the models are assumed to be deterministic because the associated parameters are deterministic in nature. But, in reality, some of the parameters may be flexible (non-random uncertainty) in nature.

* Corresponding author. Tel.: +917407906711

E-mail address: maitysuman2012@gmail.com (S. Maity); jmostafijurrahaman@gmail.com (M. Rahaman); skdemamo2008.com@gmail.com (S.K. De); sankar.res07@gmail.com (S.P. Mondal); salam50in@yahoo.co.in (S. Alam)

The parameter like demand rate is a vital component in the theory of inventory control problems. It would be a matter of easiness to the decision maker to control the inventory problem if the information regarding the demand pattern is available in crystal clear form. But in practice, the demand of certain product in the market fluctuates within finite specific range. Also, various costs and revenues related to the production and marketing procedures may fluctuate depending upon several factors on which the decision maker has no control. So, uncertain decision-making policies are coming into the situation.

Also, the earliest trends were to assume the constant demand with no shortage to develop the lot sizing modelling [3,4]. Later, the literature regarding EOQ and EPQ modelling gradually enriched through incorporating deterioration, partial and fully backlogged shortage, and credit-linked demand [5,6] respectively were discussed.

The present article has solved the following research problems.

- (i) What is the optimal production-marketing strategy of a deteriorating inventory with profit maximization objective function when demand or consumption rate depends upon the unit selling price and the displayed stock?
- (ii) If the non-random uncertainty associated with parameters and decision variables of a model is not ignored, in what extent the fuzzy counterpart be the best fitted approach of modelling?
- (iii) How much the fuzzy differential equation be helpful for the complicated and realistic model via new defuzzification aggregation method in optimization?

Motivating from the above research problems, the proposed model of inventory control management is developed under some very realistic assumptions. The demand rate is assumed to be a function of unit selling price and real time stock of the items and the production rate is also real time stock dependent. Generally, low selling price increases the demand pattern of the customer in a developing country like India [7-9]. Although, big size of the inventory in the showrooms increases enthusiasm and attraction of the customers towards purchasing the products. Indeed, to grow a sustainable network of supply to fulfil the customers' demand aiming for maximum profitability, the control on the production rate is made such that no items are left unsold. However, to analyse the non-random uncertainty of the various parameters of the model we have gone through the fuzzy differential equation approach under generalized Hukuhara derivative of two different types (L-R & R-L) is adopted to describe the fuzzy model. A new defuzzification method in term of aggregation of several objective values obtained at different aspiration level has been formulated to score the numerical results of the fuzzy model with interval representation.

The organisation of the remaining part of the paper is described as follows: The brief literature review related to the proposed research objectives is carried out in the section 2. After that, a detailed discussion on general overview on fuzzy differential equation and Lagrange's multiplier method to solve differential equation is represented in section 3. The notations and assumptions are explained in section 4. Section 5 includes the crisp and fuzzy mathematical model, solution algorithm etc. In section 6, numerical illustrations and in section 7, graphical illustrations are done. Finally, a concluding remark is given in section 8 followed by a scope of future work.

2. Literature Review

In this paper, a theoretical accumulation of different research domains has been carried out for a meaningful managerial perspective. Following the questions mentioned in the introduction section, the present section is going through a brief review on three different research disciplines, namely, popular lot-sizing modelling (with a special concern on the key words price, stock, deterioration), inventory modelling under uncertainty, fuzzy differential equation and its application on inventory control problem. Thus, the present section contains five different subsections presenting the literature review of three different disciplines, the sense of accumulation of the ideas and the major contribution of the current article.

2.1. Popular lot-sizing models

In reality, the demand of the produced item depends on several factors, the unit selling price of items is one of such important issues involved in the production and retailing business. Considering the demand as a function of unit selling price [10], the subsequent worthy works on deterioration [11], fully backlogged shortage [12], no shortage [13] and discount policy with the price depended characteristic of demand rate [14] etc. have been studied in modelling rigorously. Another vital issue is the stock of the product in the inventory cycle. Arbitrary large amount stock may result to the ultimate loss of the retailer due to unsellable items. Moreover, the presence of moderate number of displayed stocks in showroom makes a positive result on demand, creating more interest of the customers towards those particular products. Incorporating these facts in inventory modelling researchers like Giri et al. [15], Mondal et al. [16] etc. studied the inventory models with stock dependent demand. Later,

more improvements in this regard have been done by incorporating the sense of stock dependent damage rate [17], shortage [18] and time varying holding cost [19] along with the presence of stock dependent demand exclusively. The study of the joint impact of stock and price on demand is also considered by Datta and Pal [20] and Teng and Chang [21] considered deterioration of items in this context. Sana [22] discussed the negative influence of uncontrolled large stock on the demand under the consideration of stock and price dependent demand of deteriorating item. Khan et al [23] addressed the price discount facility for advance payment in the study of an EOQ model of deteriorating item with price and stock dependent demand allowing partial backlogged shortage. Indeed, some works on recent trends in supply chain models for single set up single delivery (SSSD) [24] and single set up multi delivery (SSMD) [25-27] may be considered over here.

2.2. Inventory model under fuzzy uncertainty

We know, non-random uncertainty of facts can be described by fuzzy set theory [28] that is being used frequently recent times. Bellman and Zadeh [29] advocated for the fuzzy decision making as very fruitful application of the proposed theory. Park [30] was the pioneer to study the lot-sizing problem under the fuzzy decision-making phenomena. In learning theory for decision making, some interesting works are dense fuzzy set [31], dense fuzzy Neutrosophic set [32], Lock fuzzy set [33], Moonsoon fuzzy set [34] etc. The applications of the experience-based learning approaches in the study of lot-sizing problem were addressed by Maity et al. [35-37], Karmakar et al. [38,39] in the light of the theory of dense and lock fuzzy number. Rahaman et al. [40] contributed a study to find out the joint impact of memory and experience-based learning on the decision of optimization for an EOQ model. Also, De and Mahata [41,42] explore the sense of cloudy fuzzy sets and its application on the inventory problems. Very recently, a MCGDM problem regarding sustainable transport investment selection with respect to knowledge measure and generalized entropy has been discussed by Aghamohagheghi et al. [43] in interval valued Pythagorean fuzzy phenomena. Also, Guleria and Bajaj [44] contributed a very relevant study on the theoretical properties of the T-spherical soft set and its application on decision making problems.

2.3. Fuzzy differential equation in inventory management problem

The topics on the fuzzy differential equations have been rapidly grown in recent years. There are many approaches to solve the fuzzy differential equations (FDE). In this context, the most important job was to introduce the definition of fuzzy derivative. The concepts of the fuzzy derivative were first initiated by Chang and Zadeh [45], whereas the concept of fuzzy differential equation was first formulated by Keleva [46]. In fuzzy differential equation, all the derivatives are characterized by either Hukuhara or generalized derivatives. The Hukuhara derivative has some limitations because the solution turns into imprecise as time goes on. Bede et al. [47] exhibited that a large class of boundary value problem has no solution if Hukuhara derivative is applied. To remove this difficulty and deficiency the concept of generalized Hukuhara derivative was developed [48,49] and FDE is utilized using this concept. Some researchers transformed the FDE into the corresponding fuzzy integral equation and solved it [50]. Another common approach to solve the FDE is Zadeh's extension principle [51,52]. To solve the linear FDE, Allahviranloo and Ahmadi [53] used Laplace transformation approach. Mondal and Roy [54] solved the linear FDE by Lagrange multiplier method using Hukuhara derivative. Recently, Rahaman et al. [55] has added a new literature exploring a new method of solving difference equation under Gaussian fuzzy environment.

For the application of inventory management problems, the presence of fuzzy demand rate leads to FDE for instantaneous state of the inventory level. In comparison, till now the fuzzy differential equation is of little use to formulate and to solve the various fuzzy inventory model. Das et al. [56] gave two methods of solution of an initial valued first order FDE and described its application on a fuzzy EOQ model using fuzzy extension principle and centroid formula for defuzzification. Guchhait et al. [57] formulated a production inventory model with fuzzy demand and production rate in an imperfect production process using the fuzzy differential equations with the interval valued genetic algorithm approach. A production recycling model is formulated and solved by Mondal et al. [58]. An economic production quantity (EPQ) model with partial trade credit policy in fuzzy environment was studied as an application of generalized Hukuhara derivative approach of

FDE by Majumber et al. [59]. Mondal [60] described a solution of the basic inventory model in fuzzy and interval environments with FDE and inter differential equation (IDE approach. Debnath et al. [61] introduced a sustainable fuzzy economic production quantity model with the demand as type-2 fuzzy number using generalized Hukuhara derivative of FDE. Very recently, Rahaman et al. [62] have studied a memory motivated fuzzy EPQ model in fuzzy fractional differential equation under Riemann-Liouville sense of fractional derivative.

2.4. Research gaps and motivations

Completing a comprehensive survey of existing literature in the earlier mentioned research domain, the following lacks are spotted which are tried to fulfill in the present study:

- (i) A vast literature on the stock and price dependent demand consideration to construct the EOQ models are available. Up to the author's knowing, only one article [63] on the study of an EPQ model of deteriorating items with stock and price dependent demand and stock dependent production rate is available. But that article emphasized on the memory effect related outcomes in a deterministic phenomenon through fractional calculus. In this paper, the model is developed under the same assumptions on the demand and production rate. But here the objective is quite different from the existing one. The main goal of the present article is to adopt an intelligent decision-making using fuzzy differential equation.
- (ii) There are huge collections of literature on the fuzzy inventory models. But, most of them were developed on various defuzzification techniques avoiding the fuzzy rate of changes. Thus, the paper related to the fuzzy differential approach to solve the inventory problem is little rare in the existing literature. There are only few papers (described in the Table 1) on inventory with fuzzy differential equation.
- (iii) Generalized Hukuhara derivative approach to solve the fuzzy differential equation is very meaningful way to quantify the changes of dependent fuzzy variables with respect to the dependent variables. But, up to the author's knowledge, very few works are identified yet.

So, we consider our proposed EPQ model in fuzzy environment utilizing fuzzy differential equation under generalized Hukuhara derivative. Dealing with fuzzy variables and fuzzy calculus, this article has been reduced to a multi-objective decision-making problem and finally the problem is solved with the help of new defuzzification rule.

2.5. Major contribution

The basic novelty is that all the cost components, the deterioration rate and the unit selling price associated to the model assume triangular fuzzy numbers. However, we adopt the fuzzy differential equation approach with the help of the extension of Lagrange's method to describe fuzzy mathematical problem and solve the fuzzy model via generalized Hukuhara derivatives of two kinds namely L-R and R-L types. Also, a new defuzzification technique is studied with some aggregation rules to find the crisp equivalent problem of the more complex fuzzy objective function of the proposed model. A comparative analysis over the numerical results of the crisp model and the fuzzy model under different circumstances is done that focuses the managerial insights as well.

3. Preliminaries

3.1. Fuzzy sets and fuzzy calculus

Definition 1. A fuzzy set \tilde{A} on a crisp set A is an ordered pair given by $\tilde{A} = \{(x, \mu_{\tilde{A}}(x))\}$, where x is the element of A and $\mu_{\tilde{A}}(x)$ is the corresponding member function and $\mu_{\tilde{A}}(x) \in [0, 1]$ for all $x \in A$.

Definition 2. The α -cut of the fuzzy set \tilde{A} of X is given by $A^\alpha = \{x : \mu_{\tilde{A}}(x) \geq \alpha, x \in X, \alpha \in [0, 1]\}$. By definition the α -cut is a crisp set. This is also called the interval of confidence, α -level set etc.

Definition 3. The fuzzy number is a fuzzy set given by $F : \mathcal{R} \rightarrow [0, 1]$ which satisfies the following properties:

- (i) F is upper semi-continuous.
- (ii) $F(x) = 0$ for $x < \gamma$ and $x > \delta$ for some γ, δ
- (iii) There exist two real numbers α, β such that $\gamma \leq \alpha \leq \beta \leq \delta$ such that
 - (a) $F(x)$ is monotonic increasing on $[\gamma, \alpha]$,
 - (b) $F(x)$ is monotonic decreasing on $[\beta, \delta]$,
 - (c) $F(x) = 1$ for $\alpha \leq x \leq \beta$.

Definition 4. In parametric form a fuzzy number $F(x)$ is given by the pair (F_1, F_2) of functions $F_1(r), F_2(r), 0 \leq r \leq 1$, where the functions $F_1(r)$ and $F_2(r)$ satisfying the following conditions;

1. $F_1(r)$ is a bounded, monotonic increasing and left continuous function.
2. $F_2(r)$ is a bounded, monotonic decreasing and right continuous function.
3. $F_1(r) \leq F_2(r); 0 \leq r \leq 1$.

Obviously, a crisp number, say x as particular case of the fuzzy number can be written in parametric form as $x = (x, x)$.

Properties of the fuzzy numbers

Let $\zeta = (\zeta_1(r), \zeta_2(r))$ and $\eta = (\eta_1(r), \eta_2(r))$ be two fuzzy numbers. Then, the arithmetic operations are given as follows:

- I. $\zeta = \eta$ iff $\zeta_1(r) = \eta_1(r)$ and $\zeta_2(r) = \eta_2(r)$
- II. $\zeta + \eta = (\zeta_1(r) + \eta_1(r), \zeta_2(r) + \eta_2(r))$
- III. $\zeta - \eta = (\zeta_1(r) - \eta_1(r), \zeta_2(r) - \eta_2(r))$
- IV. $\kappa\zeta = (\kappa\zeta_1(r), \kappa\zeta_2(r))$ for $k > 0$
and $\kappa\zeta = (\kappa\zeta_2(r), \kappa\zeta_1(r))$ for $k < 0$.

Definition 5. Let θ, ϕ be two fuzzy numbers. If there exists a fuzzy number ψ such that $\theta = \phi + \psi$, then ψ is called the Hukuhara difference of two fuzzy numbers θ and ϕ and symbolically this is denoted by $\psi = \theta \ominus \phi$. Here one important thing to be remember that

$$\theta \ominus \phi \neq \theta + (-1)\phi$$

Definition 6. Let θ and ϕ be two fuzzy numbers. Then, the generalized Hukuhara difference of these two fuzzy numbers is given as follows

$$\theta \ominus_g \phi = \psi \Leftrightarrow \begin{cases} (i) \theta = \phi \oplus \psi \\ \text{or} (ii) \phi = \theta \oplus (-)\psi \end{cases} \quad \text{Then}$$

$$\psi_L(\alpha) = \min\{\theta_L(\alpha) - \phi_L(\alpha), \theta_R(\alpha) - \phi_R(\alpha)\} \text{ and } \psi_R(\alpha) = \max\{\theta_L(\alpha) - \phi_L(\alpha), \theta_R(\alpha) - \phi_R(\alpha)\}$$

where in the parametric form, a fuzzy valued function f on $[a, b]$ is expressed by

$$[f(t)]_\alpha = [f_L(t, \alpha), f_R(t, \alpha)], t \in [a, b], \alpha \in [0, 1].$$

Definition 7. Let f be a fuzzy value function defined on (a, b) . Then the generalized Hukuhara (gH) derivative of the function f at t_0 is defined as

$$f'(t_0) = \lim_{h \rightarrow 0} \frac{f(t_0 + h) \ominus_g f(t_0)}{h}.$$

Now, there are two different types of generalized Hukuhara derivative. Suppose in the parametric form, a fuzzy valued function f on $[a, b]$ is expressed by

$$[f(t)]_\alpha = [f_L(t, \alpha), f_R(t, \alpha)], t \in [a, b], \alpha \in [0, 1]. \text{ Then}$$

$$(1) \text{ If } [f'(t_0)]_\alpha = [f'_L(t_0, \alpha), f'_R(t_0, \alpha)], \text{ then } f(t) \text{ is (i)-gH (L-R) differentiable at } t_0$$

$$(2) \text{ If } [f'(t_0)]_\alpha = [f'_R(t_0, \alpha), f'_L(t_0, \alpha)], \text{ then } f(t) \text{ is (ii)-gH (R-L) differentiable at } t_0$$

3.2. Solution of the differential equations using the Lagrange's multiplier method

Let, the homogeneous differential equations of first order are given by

$$\left. \begin{aligned} \frac{dx}{dt} &= a_1x + b_1y \\ \frac{dy}{dt} &= a_2x + b_2y \end{aligned} \right\} \quad (1)$$

After adjusting with λ , Eq. (1) gives

$$\frac{d(x + \lambda y)}{dt} = (a_1 + \lambda a_2)x + (b_1 + \lambda b_2)y = (a_1 + \lambda a_2) \left(x + \frac{b_1 + \lambda b_2}{a_1 + \lambda a_2} y \right) \quad (2)$$

Choose the number λ so that

$$\frac{b_1 + \lambda b_2}{a_1 + \lambda a_2} = \lambda \quad (3)$$

which gives two roots, say λ_1 and λ_2 .

Then, Eq. (2) reduces to an equation linear in $x + \lambda y$

$$\frac{d(x + \lambda y)}{dt} = (a_1 + \lambda a_2)(x + \lambda y)$$

$$\text{That gives } x + \lambda y = C e^{(a_1 + \lambda a_2)t} \quad (4)$$

So, for two distinct roots λ_1 and λ_2 of Eq. (3), Eq. (4) gives a system of simultaneous equations

$$\begin{cases} x + \lambda_1 y = C e^{(a_1 + \lambda_1 a_2)t} \\ x + \lambda_2 y = C e^{(a_1 + \lambda_2 a_2)t} \end{cases} \quad (5)$$

which gives value of x and y , that is the solution of the system of the ODE.

3.3. Extension of Lagrange's Method

Here we do slight modification of the above theory. Let the system of differential equations is given by

$$\begin{cases} \frac{dx}{dt} = a_1 x + b_1 y + c_1 \\ \frac{dy}{dt} = a_2 x + b_2 y + c_2 \end{cases} \quad (6)$$

Now, as per Eq. (3) and approach of Eq. (2) we write

$$\frac{d(x + \lambda y)}{dt} = (a_1 + \lambda a_2)x + (b_1 + \lambda b_2)y + (c_1 + \lambda c_2)$$

On simplification and taking $\lambda = \lambda_1, \lambda_2$, we obtain

$$x + \lambda_1 y + \frac{c_1 + \lambda_1 c_2}{a_1 + \lambda_1 a_2} = C e^{(a_1 + \lambda_1 a_2)t} \text{ and}$$

$$x + \lambda_2 y + \frac{c_1 + \lambda_2 c_2}{a_1 + \lambda_2 a_2} = C e^{(a_1 + \lambda_2 a_2)t} \quad (7)$$

which gives value of x and y that is the solution of the system of the ODE.

3.4. New defuzzification formula

Let a fuzzy multi-objective problem having lower objective functions $\{f_1, f_2, \dots, f_n\}$ and that of upper objective functions $\{g_1, g_2, \dots, g_n\}$ obtained from fuzzification of a crisp problem. Also let the individual optimal values of the above objective functions at m aspiration level are $\{f_1^*, f_2^*, \dots, f_n^*\}$ and $\{g_1^*, g_2^*, \dots, g_n^*\}$ with crisp optimal f_0 ,

where $f_1^* = \{f_{11}^*, f_{12}^*, \dots, f_{1m}^*\}, f_2^* = \{f_{21}^*, f_{22}^*, \dots, f_{2m}^*\}, \dots, f_n^* = \{f_{n1}^*, f_{n2}^*, \dots, f_{nm}^*\}$ and

$g_1^* = \{g_{11}^*, g_{12}^*, \dots, g_{1m}^*\}, g_2^* = \{g_{21}^*, g_{22}^*, \dots, g_{2m}^*\}, \dots, g_n^* = \{g_{n1}^*, g_{n2}^*, \dots, g_{nm}^*\}$ respectively.

Now, the individual aggregated value of the lower fuzzy objective functions can be defined as

$$\bar{l} = \frac{\sum_{i=1}^m \alpha_i \otimes f_{ji}}{\sum_{i=1}^m f_{ji}}, j = 1, 2, \dots, n$$

Similarly, the individual aggregated value of the lower fuzzy objective functions can be defined as

$$\bar{r} = \frac{\sum_{i=1}^m \alpha_i \otimes g_{ji}}{\sum_{i=1}^m g_{ji}}, j = 1, 2, \dots, n$$

Therefore the relative change in optimal values is $\frac{\bar{r} - \bar{l}}{f_0}$. Noting that for increasing objective function $\bar{r} > \bar{l}$

and that of decreasing function $\bar{r} < \bar{l}$. Hence, the aggregation formulas for fuzzy multi-objective functions defined by \bar{f} are:

$$\text{a) if it is maximization function then } \bar{f} = \begin{cases} f_0 + \frac{\bar{r} - \bar{l}}{f_0} \text{ when } \bar{r} > \bar{l} \\ f_0 - \frac{\bar{r} - \bar{l}}{f_0} \text{ when } \bar{r} < \bar{l} \end{cases}$$

b) if it is minimization function then

$$\bar{f} = \begin{cases} f_0 - \frac{\bar{r} - \bar{l}}{f_0} \text{ when } \bar{r} > \bar{l} \\ f_0 + \frac{\bar{r} - \bar{l}}{f_0} \text{ when } \bar{r} < \bar{l} \end{cases}$$

4. Notations and assumptions

To describe our proposed model, we use the following notation and assumptions.

4.1. Notations

c_h : Holding cost per unit product (\$)

c_0 : Set up cost per cycle (\$)

c_p : Production cost per unit product (\$)

p : Selling Price per unit product (\$)

K : Production rate (Units) per month

D : Annual demand (Units)

T : Total cycle time (months)(dependent decision variable)

t_1 : Production time (months) (independent decision variable)

Q : Highest inventory level (Units) (dependent decision variable)

θ_1 : Rate of deterioration in $[0, t_1]$

θ_2 : Rate of deterioration in $[t_1, T]$

TAP : Total average profit (\$/Cycle)

4.2. Assumptions

The following assumptions have been considered to develop the proposed model:

- The production rate depends on the stock or on hand inventory. Generally, the rate of the production (K) follows a decreasing function, $q(t) K = m - nq(t)$, where m, n are positive constants and $q(t)$ is the on-hand inventory or stock.
- Demand of the produced items depends on price and stock. When selling price is low then the demand increases. Also, presence of the lot of stock makes increasing demand, so, $D = a - bp + cq(t)$ where a, b, c are positive constants and p , is the unit selling price of the product.
- No shortage is allowed.
- Both the replenishment rate and lot size are finite.
- The time horizon is infinite.
- Deterioration rate is constant and it is θ_1 , when $t \in [0, t_1]$ and θ_2 , when $t \in [t_1, T]$.
- Lead time is zero.

5. Formulation of Crisp EPQ model

Let, a manufacturing farm starts with the production rate K . At the same time the system is meeting up the demand rate D and facing a deterioration rate θ_1 . At time $t = t_1$, the farm stops the production after reaching the sufficient stock of the product. Then, the stock gradually decreases meeting up the demand of the customers and deterioration rate θ_2 during the interval $[t_1, T]$. The [figure1](#) describes the production model graphically.

5.1. Crisp EPQ model

The governing differential equations of the production-consumption process are given below:

$$\frac{dq(t)}{dt} + \theta_1 q(t) = m - nq(t) - \{a - bp + cq(t)\}, \text{ for } 0 \leq t \leq t_1 \quad (8)$$

$$\frac{dq(t)}{dt} + \theta_2 q(t) = -\{a - bp + cq(t)\}, \text{ for } t_1 \leq t \leq T \quad (9)$$

The initial, intermediate and terminating information about stock level are given by:

$$\{q(0) = 0, q(t_1) = Q, q(T) = 0\} \quad (10)$$

Solving the Eq. (8) and Eq. (9) and using Eq. (10), the stock levels at productive and non-productive phases are obtained as:

$$q(t) = \frac{m - (a - bp)(1 - e^{-k_1 t})}{k_1}, 0 \leq t \leq t_1 \quad (11)$$

and

$$q(t) = \frac{(a - bp)}{k_2} \{e^{k_2(T-t)} - 1\}, t_1 \leq t \leq T \quad (12)$$

Also, the maximum level of stock at the end of the productive phase is obtained as:

$$Q = \frac{m - (a - bp)}{k_1} \{1 - e^{-k_1 t_1}\} \quad (13)$$

The values of k_1 and k_2 are given by:

$$\begin{cases} k_1 = \theta_1 + n + c \\ k_2 = \theta_2 + c \end{cases} \quad (14)$$

Also, using the continuity conditions given in the Eq. (11) and Eq. (12), the relationship between the independent variable and dependent variable is established as:

$$T = t_1 + \frac{1}{k_2} \ln \left[1 + \left\{ \frac{k_2(m - a + bp)}{k_1(a - bp)} \right\} (1 - e^{-k_1 t_1}) \right] \quad (15)$$

The total holding cost in the time interval $[0, T]$ is given by:

$$\begin{aligned} HC &= c_h \left[\int_0^{t_1} q(t) dt + \int_{t_1}^T q(t) dt \right] \\ &= c_h \left[\frac{m - (a - bp)}{k_1^2} \{e^{-k_1 t_1} + k_1 t_1 - 1\} \right. \\ &\quad \left. + \frac{(a - bp)}{k_2^2} \{e^{k_2(T-t_1)} - k_2(T - t_1) - 1\} \right] \quad (16) \end{aligned}$$

The sales revenue (SR) during the entire circle is given by:

$$\begin{aligned}
SR &= p \left[\int_0^{t_1} \{a - bp + cq(t)\} dt + \int_{t_1}^T \{a - bp + cq(t)\} dt \right] \\
&= p(a - bp)T + cp \frac{HC}{c_h}
\end{aligned} \quad (17)$$

The production cost during whole cycle is given by:

$$\begin{aligned}
PC &= c_p \int_0^{t_1} \{m - nq(t)\} dt \\
&= c_p m t_1 - \frac{m - (a - bp)}{k_1} c_p n \left\{ t_1 + \frac{(e^{-k_1 t_1} - 1)}{k_1} \right\}
\end{aligned} \quad (18)$$

Therefore, the average profit of the production system during the entire circle is given by:

$$TAP = \frac{SR - c_0 - HC - PC}{T} \quad (19)$$

So, the optimization problem is given by:

$$\left\{ \begin{array}{l} \text{Maximize } TAP = \frac{SR - C_0 - HC - PC}{T} \\ \text{Subject to } Q = \frac{m - (a - bp)}{k_1} \{1 - e^{-k_1 t_1}\} \\ T = t_1 + \frac{1}{k_2} \ln \left[1 + \left\{ \frac{k_2 (m - a + bp)}{k_1 (a - bp)} \right\} (1 - e^{-k_1 t_1}) \right] \end{array} \right. \quad (20)$$

5.2. Fuzzy EPQ model

Assuming the entire cost coefficients, deterioration rate and unit selling price as fuzzy numbers, the governing differential equation of the model can be put as follows:

$$\frac{d\tilde{q}(t)}{dt} + \tilde{\theta}_1 \tilde{q}(t) = \{m - n\tilde{q}(t)\} - \{a - b\tilde{p} + c\tilde{q}(t)\}, 0 \leq t \leq t_1 \quad (21)$$

$$\frac{d\tilde{q}(t)}{dt} + \tilde{\theta}_2 \tilde{q}(t) = -\{a - b\tilde{p} + c\tilde{q}(t)\}, t_1 \leq t \leq T \quad (22)$$

Also, the fuzzy valued stock level at the starting and stopping time are given by:

$$\tilde{q}(0) = \tilde{q}(T) = 0 \quad (23)$$

Suppose the parametric representation of fuzzy valued stock, deterioration rate and selling price are given as:

$$\begin{cases} \tilde{q}(t) = [q_L(t, \alpha), q_R(t, \alpha)] \\ \tilde{\theta}_1 = [\theta_{1L}(\alpha), \theta_{1R}(\alpha)] \\ \tilde{\theta}_2 = [\theta_{2L}(\alpha), \theta_{2R}(\alpha)] \\ \tilde{p} = [p_L(\alpha), p_R(\alpha)] \end{cases} \quad (24)$$

Here, the notion of generalized Hukuhara derivative is applied to solve the Eq. (21) and Eq. (22) under two different cases of gH differentiability of the fuzzy valued function $\tilde{q}(t)$ as follows:

Case 1. when $\tilde{q}(t)$ is (i)-gH (L-R) differentiable

Then, the fuzzy differential equation given by the Eq. (21) is turned in to a system of differential equations as bellow:

$$\begin{cases} \dot{q}_L(t, \alpha) + \theta_{1L}(\alpha) q_L(t, \alpha) = m - n q_R(t, \alpha) - a + b p_L(\alpha) - c q_R(t, \alpha) \\ \dot{q}_R(t, \alpha) + \theta_{1R}(\alpha) q_R(t, \alpha) = m - n q_L(t, \alpha) - a + b p_R(\alpha) - c q_L(t, \alpha) \\ \text{with } q_L(0, \alpha) = q_R(0, \alpha) = 0 \end{cases} \quad (25)$$

Similarly, from Eq. (22) we get

$$\begin{cases} \dot{q}_L(t, \alpha) + \theta_{2L}(\alpha) q_L(t, \alpha) = -a + b p_L(\alpha) - c q_R(t, \alpha) \\ \dot{q}_R(t, \alpha) + \theta_{2R}(\alpha) q_R(t, \alpha) = -a + b p_R(\alpha) - c q_L(t, \alpha) \\ \text{with } q_L(T, \alpha) = q_R(T, \alpha) = 0. \end{cases} \quad (26)$$

In the above two equations (25-26) and the rest of the paper, $\dot{q}_L(t, \alpha)$ and $\dot{q}_R(t, \alpha)$ represents the first derivative of $q_L(t, \alpha)$ and $q_R(t, \alpha)$ respectively with respect to t i.e., $\dot{q}_L(t, \alpha) \equiv \frac{d(q_L(t, \alpha))}{dt}$ and

$$\dot{q}_R(t, \alpha) \equiv \frac{d(q_R(t, \alpha))}{dt}.$$

After simplification, the Eq. (25) is reduced as:

$$\begin{cases} \dot{q}_L(t, \alpha) = -a_1 q_L(t, \alpha) - b_1 q_R(t, \alpha) + c_1 \\ \dot{q}_R(t, \alpha) = -a_2 q_L(t, \alpha) - b_2 q_R(t, \alpha) + c_2 \\ \text{with } q_L(0, \alpha) = q_R(0, \alpha) = 0 \end{cases} \quad (27)$$

The values of $a_1, a_2, b_1, b_2, c_1, c_2$ are given by:

$$\begin{cases} a_1 = \theta_{1L}(\alpha), b_1 = n + c, \\ c_1 = m - a + b p_L(\alpha), \\ a_2 = n + c, b_2 = \theta_{1R}(\alpha), \\ c_2 = m - a + b p_R(\alpha) \end{cases} \quad (28)$$

The system of differential equations given by Eq. (27) is solved using Lagrange's multiplier method in the following way:

$$\begin{aligned}
& \frac{d(q_L(t, \alpha) + \lambda q_R(t, \alpha))}{dt} \\
& = -(a_1 + \lambda a_2)q_L(t, \alpha) - (b_1 + \lambda b_2)q_R(t, \alpha) + (c_1 + \lambda c_2) \\
& \frac{d(q_L(t, \alpha) + \lambda q_R(t, \alpha))}{dt} \\
& \text{i.e.,} \quad \left\{ q_L(t, \alpha) + \right. \\
& \quad \left. -(a_1 + \lambda a_2) \left\{ \frac{(b_1 + \lambda b_2)}{(a_1 + \lambda a_2)} q_R(t, \alpha) - \frac{(c_1 + \lambda c_2)}{(a_1 + \lambda a_2)} \right\} \right\} \quad (29)
\end{aligned}$$

Then, we choose a constant λ such that:

$$\frac{(b_1 + \lambda b_2)}{(a_1 + \lambda a_2)} = \lambda \quad (30)$$

Using Eq. (30), the Eq. (29) is reduced as:

$$\frac{dz(t)}{dt} = -(a_1 + \lambda a_2)z(t) \quad (31)$$

For simplification $z(t)$ is assumed as:

$$z(t) = q_L(t, \alpha) + \lambda q_R(t, \alpha) - \frac{(c_1 + \lambda c_2)}{(a_1 + \lambda a_2)} \quad (32)$$

Therefore, solving Eq. (31) and putting the value of $z(t)$ from Eq. (32), the result is obtained as:

$$q_L(t, \alpha) + \lambda q_R(t, \alpha) - \frac{(c_1 + \lambda c_2)}{(a_1 + \lambda a_2)} = A e^{-(a_1 + \lambda a_2)t} \quad (33)$$

In Eq. (33), A is a constant of integration which has to be determined using the initial conditions.

Using the initial conditions, the Eq. (33) is reduced to:

$$q_L(t, \alpha) + \lambda q_R(t, \alpha) = \frac{(c_1 + \lambda c_2)}{(a_1 + \lambda a_2)} \left\{ 1 - e^{-(a_1 + \lambda a_2)t} \right\} \quad (34)$$

Also, the relation described by the Eq. (30) is actually a quadratic equation having two roots, say, λ_1 and λ_2 . For different values of λ_1 and λ_2 , the Eq. (34) is again turned into a system of simultaneous equations,

$$\begin{cases} q_L(t, \alpha) + \lambda_1 q_R(t, \alpha) = \frac{(c_1 + \lambda_1 c_2)}{(a_1 + \lambda_1 a_2)} \left\{ 1 - e^{-(a_1 + \lambda_1 a_2)t} \right\} \\ q_L(t, \alpha) + \lambda_2 q_R(t, \alpha) = \frac{(c_1 + \lambda_2 c_2)}{(a_1 + \lambda_2 a_2)} \left\{ 1 - e^{-(a_1 + \lambda_2 a_2)t} \right\} \end{cases}$$

So,

$$\begin{cases} q_L(t, \alpha) + \lambda_1 q_R(t, \alpha) = A_1 (1 - e^{-B_1 t}) \\ q_L(t, \alpha) + \lambda_2 q_R(t, \alpha) = A_2 (1 - e^{-B_2 t}) \end{cases} \quad (35)$$

The values of the constants A_1, A_2, B_1 and B_2 are given by:

$$\begin{cases} A_1 = \frac{(c_1 + \lambda_1 c_2)}{(a_1 + \lambda_1 a_2)}, B_1 = a_1 + \lambda_1 a_2 \\ A_2 = \frac{(c_1 + \lambda_2 c_2)}{(a_1 + \lambda_2 a_2)}, B_2 = a_1 + \lambda_2 a_2 \end{cases} \quad (36)$$

The solution of the system of simultaneous equation given by Eq. (35) is obtained as follows:

$$\begin{cases} q_{1L}(t, \alpha) = \frac{A_1 \lambda_2 (1 - e^{-B_1 t}) - A_2 \lambda_1 (1 - e^{-B_2 t})}{\lambda_2 - \lambda_1} \\ q_{1R}(t, \alpha) = \frac{A_1 (1 - e^{-B_1 t}) + A_2 (e^{-B_2 t} - 1)}{\lambda_1 - \lambda_2} \\ 0 \leq t \leq t_1 \end{cases} \quad (37)$$

On the other hand, the system of differential equations described by the Eq. (26) can be simplified as:

$$\begin{cases} \dot{q}_L(t, \alpha) = -f_1 q_L(t, \alpha) - g_1 q_R(t, \alpha) - h_1 \\ \dot{q}_R(t, \alpha) = -f_2 q_L(t, \alpha) - g_2 q_R(t, \alpha) - h_2 \\ q_L(T, \alpha) = q_R(T, \alpha) = 0 \end{cases} \quad (38)$$

where $f_1 = \theta_{2L}(\alpha), g_1 = c, h_1 = a - bp_L(\alpha)$
 $f_2 = c, g_2 = \theta_{2R}(\alpha), h_2 = a - bp_R(\alpha)$

The system of differential equations described in Eq. (39) can be written as:

$$q_L(t, \alpha) + \mu q_R(t, \alpha) = \frac{(h_1 + \mu h_2)}{(f_1 + \mu f_2)} \left\{ e^{(f_1 + \mu f_2)(T-t)} - 1 \right\} \quad (39)$$

The constant μ is chosen in such a manner that the following relationship holds:

$$\mu = \frac{g_1 + \mu g_2}{f_1 + \mu f_2} \quad (40)$$

The above relationship is actually a quadratic equation which produces two roots, say, μ_1 and μ_2 .

Then, proceeding as the productive phase, a system of simultaneous equations is obtained as:

$$\left\{ \begin{array}{l} q_{2L}(t, \alpha) = \frac{A_3 \mu_2 (e^{B_3(T-t)} - 1) - A_4 \mu_1 (e^{B_4(T-t)} - 1)}{\mu_2 - \mu_1} \\ q_{2R}(t, \alpha) = \frac{A_3 (e^{B_3(T-t)} - 1) - A_4 (e^{B_4(T-t)} - 1)}{\mu_1 - \mu_2} \\ \text{where } A_3 = \frac{(h_1 + \mu_1 h_2)}{(f_1 + \mu_1 f_2)}, B_3 = f_1 + \mu_1 f_2, \\ A_4 = \frac{(h_1 + \mu_2 h_2)}{(f_1 + \mu_2 f_2)}, B_4 = f_1 + \mu_2 f_2 \\ t_1 \leq t \leq T. \end{array} \right.$$

(41)

Several relevant costs and revenue associated with the model are computed in parametric representation as follows:

- (i) The set-up cost $c_0 = [c_{0L}(\alpha), c_{0R}(\alpha)]$
- (ii) $\tilde{c}_h = [c_{hL}(\alpha), c_{hR}(\alpha)] =$ unit holding cost per unit product.

Therefore, the holding cost $= [HC_L(\alpha), HC_R(\alpha)]$ given by:

$$\begin{aligned} HC_L(\alpha) &= c_{hL} \left[\int_0^{t_1} q_{1L}(t, \alpha) dt + \int_{t_1}^T q_{2L}(t, \alpha) dt \right] \\ &= c_{hL} \left[\int_0^{t_1} \left\{ \frac{A_1 \lambda_2 (1 - e^{-B_1 t}) - A_2 \lambda_1 (1 - e^{-B_2 t})}{\lambda_2 - \lambda_1} \right\} dt + \right. \\ &\quad \left. \int_{t_1}^T \left\{ \frac{A_3 \mu_2 (e^{B_3(T-t)} - 1) - A_4 \mu_1 (e^{B_4(T-t)} - 1)}{\mu_2 - \mu_1} \right\} dt \right] \\ &= c_{hL} \{I_1 + I_2\} \end{aligned} \tag{42}$$

In the Eq. (42), the values of I_1 and I_2 are assumed as:

$$\left\{ \begin{array}{l} I_1 = \frac{\frac{A_1 \lambda_2}{B_1} (e^{-t_1 B_1} + B_1 t_1 - 1) - \frac{A_2 \lambda_1}{B_2} (e^{-t_1 B_2} + B_2 t_1 - 1)}{\lambda_2 - \lambda_1} \\ I_2 = \frac{\frac{A_3 \mu_2}{B_3} (e^{(T-t_1) B_3} + (t_1 - T) B_3 - 1) - \frac{A_4 \mu_1}{B_4} (e^{(T-t_1) B_4} + (t_1 - T) B_4 - 1)}{\mu_2 - \mu_1} \end{array} \right. \tag{43}$$

$$\begin{aligned}
HC_R(\alpha) &= c_{hR} \left[\int_0^{t_1} q_{1R}(t, \alpha) dt + \int_{t_1}^T q_{2R}(t, \alpha) dt \right] \\
&= c_{hR} \left[\int_0^{t_1} \left\{ \frac{A_1(1 - e^{-B_1 t}) + A_2(e^{-B_2 t} - 1)}{\lambda_1 - \lambda_2} \right\} dt \right. \\
&\quad \left. + \int_{t_1}^T \left\{ \frac{A_3(e^{B_3(T-t)} - 1) - A_4(e^{B_4(T-t)} - 1)}{\mu_1 - \mu_2} \right\} dt \right] \\
&= c_{hR} \{J_1 + J_2\} \tag{44}
\end{aligned}$$

In the Eq. (44), the values of J_1 and J_2 are assumed as:

$$\begin{cases} J_1 = \frac{A_1(B_1 t_1 + e^{-t_1 B_1} - 1) - \frac{A_2}{B_2}(B_2 t_1 + e^{-t_1 B_2} - 1)}{\lambda_1 - \lambda_2} \\ J_2 = \frac{\frac{A_3}{B_3}(e^{(T-t_1)B_3} - B_3(T-t_1) - 1) - \frac{A_4}{B_4}(e^{(T-t_1)B_4} - B_4(T-t_1) - 1)}{\mu_1 - \mu_2} \end{cases} \tag{45}$$

(iii) $\tilde{p} = [p_L(\alpha), p_R(\alpha)]$ = The sales revenue per unit product.

Therefore, total sales revenue, $SR = [SR_L(\alpha), SR_R(\alpha)]$ during the entire cycle is given by:

$$\begin{aligned}
&SR_L(\alpha) \\
&= p_L(\alpha) \left[\int_0^{t_1} \{a - bp_R(\alpha) + cq_{1L}(t, \alpha)\} dt \right. \\
&\quad \left. + \int_{t_1}^T \{a - bp_R(\alpha) + cq_{2L}(t, \alpha)\} dt \right] \\
&= p_L(\alpha) [\{a - bp_R(\alpha)\}T + c\{I_1 + I_2\}] \tag{46}
\end{aligned}$$

and

$$\begin{aligned}
&SR_R(\alpha) \\
&= p_R(\alpha) \left[\int_0^{t_1} \{a - bp_L(\alpha) + cq_{1R}(t, \alpha)\} dt \right. \\
&\quad \left. + \int_{t_1}^T \{a - bp_L(\alpha) + cq_{2R}(t, \alpha)\} dt \right] \\
&= p_R(\alpha) [\{a - bp_L(\alpha)\}T + c\{J_1 + J_2\}] \tag{47}
\end{aligned}$$

(iv) $\tilde{c}_p = [c_{pL}(\alpha), c_{pR}(\alpha)]$ = The unit production cost per unit product.

Therefore, total production cost $PC = [PC_L(\alpha), PC_R(\alpha)]$ during the entire cycle is given by:

$$PC_L(\alpha) = c_{pL} \left[\int_0^{t_1} \{m - nq_{1R}(t, \alpha)\} dt \right] = c_{pL} [mt_1 - nJ_1] \quad (48)$$

and

$$PC_R(\alpha) = c_{pR} \left[\int_0^{t_1} \{m - nq_{1L}(t, \alpha)\} dt \right] = c_{pR} [mt_1 - nI_1] \quad (49)$$

The total average profit, $TAP = [TAP_{1L}(\alpha), TAP_{1R}(\alpha)]$ during the entire cycle is given by:

$$\begin{cases} TAP_{1L}(\alpha) \\ = \frac{(SR_L(\alpha) - PC_R(\alpha) - HC_R(\alpha) - c_{0R}(\alpha))}{T} \\ TAP_{1R}(\alpha) \\ = \frac{(SR_R(\alpha) - PC_L(\alpha) - HC_L(\alpha) - c_{0L}(\alpha))}{T} \end{cases} \quad (50)$$

Therefore, mathematically the optimization problem can be written in form:

$$\begin{cases} \text{Maximize } TAP_{1L}(\alpha) \\ \text{Maximize } TAP_{1R}(\alpha) \\ \text{Subject to (15), (37) and (41)} \\ 0 \leq \alpha \leq 1, \end{cases} \quad (51)$$

Case 2. when $\tilde{q}(t)$ is (ii)-gH(R-L) differentiable

Then, the fuzzy differential equation given by Eq. (21) is transformed into a system of differential equation as following:

$$\begin{cases} \dot{q}_R(t, \alpha) + \theta_{1L}(\alpha) q_L(t, \alpha) \\ = m - nq_R(t, \alpha) - a + bp_L(\alpha) - cq_R(t, \alpha) \\ \dot{q}_L(t, \alpha) + \theta_{1R}(\alpha) q_R(t, \alpha) \\ = m - nq_L(t, \alpha) - a + bp_R(\alpha) - cq_L(t, \alpha) \\ q_L(0, \alpha) = q_R(0, \alpha) = 0 \end{cases} \quad (52)$$

On the other hand, the fuzzy differential equation given by Eq. (22) is transformed into a system of differential equation as following:

$$\begin{cases} q_R'(t, \alpha) + \theta_{2L}(\alpha) q_L(t, \alpha) = -a + bp_L(\alpha) - cq_R(t, \alpha) \\ q_L'(t, \alpha) + \theta_{2R}(\alpha) q_R(t, \alpha) = -a + bp_R(\alpha) - cq_L(t, \alpha) \\ q_L(T, \alpha) = q_R(T, \alpha) = 0 \end{cases} \quad (53)$$

Utilizing the procedure developed in Case 1, the parametric values of the total average profit, $TAP = [TAP_{2L}(\alpha), TAP_{2R}(\alpha)]$ is given by (For more details see [Appendix section](#)):

$$TAP_{2L}(\alpha) = \frac{(SR_L(\alpha) - PC_R(\alpha) - HC_R(\alpha) - c_{0R}(\alpha))}{T} \quad (54)$$

$$TAP_{2R}(\alpha) = \frac{(SR_R(\alpha) - PC_L(\alpha) - HC_L(\alpha) - c_{0L}(\alpha))}{T} \quad (55)$$

Therefore, the optimization problem can be reduced to (56)

$$\begin{cases} \text{Maximize } TAP_{2L}(\alpha) \\ \text{Maximize } TAP_{2R}(\alpha) \\ \text{Subject to the constraints (15), (A.2) and (A.4)} \\ 0 \leq \alpha \leq 1, \end{cases} \quad (56)$$

However, the schematic diagram of the proposed model is given by [Figure 2](#).

5.3. Solution algorithm of the proposed model

Here we develop a solution algorithm to solve the proposed model.

Step 1: Solve the crisp problem using LINGO software or any programming language.

Step 2: Covert the crisp problem into two fuzzy problem (case-I and case-II) for different scenarios of α -cuts of the fuzzy differential equations.

Step 3: Find maximum value of lower and upper objective functions in each case for different cycle time under different aspiration levels.

Step 4: Defuzzify the results using the definite formula stated in section 2.1.

Step 5: Compare the numerical out puts of each case with respect to crisp result and get the optimum average profit of the original problem.

Step 6: Record the optimum decision variables.

6. Numerical and graphical illustrations

In this section we take some numerical study over crisp and fuzzy models. Moreover, we perform some graphical illustrations on the basis of these numerical data.

6.1. Numerical results of crisp model

For numerical study of the crisp model, we take the following values of the input parameters:

$$a = 100, b = 0.1, c = 0.14, m = 180, n = 0.8, p = 95,$$

$$c_h = 3.25, c_p = 40, c_o = 300, \theta_1 = 0.05, \theta_2 = 0.07$$

Then, using the LINGO 17.0 software the optimum results are obtained and presented in the [Table 2](#).

[Table 2](#) shows that average profit of the model gets maximum value \$5041.09 for the cycle time 2.5 months and the production run time 1.742 months with order quantity 74.29 units respectively. Beyond this, if the cycle time increases or decreases then the average profit of the model is also decreasing.

6.2. Numerical results of fuzzy model

Let the deterioration rate (θ_1, θ_2) , unit holding cost (c_h) , ordering cost (c_o) , unit production cost (c_p) and unit selling price (p) assume as triangular fuzzy numbers. Then the left and right α -cuts of each triangular fuzzy number are respectively given by:

$$\theta_{1L} = 0.03 + 0.02\alpha, \theta_{1R} = 0.07 - 0.02\alpha,$$

$$\theta_{2L} = 0.05 + 0.02\alpha, \theta_{2R} = 0.09 - 0.02\alpha$$

$$c_{hL} = 2.25 + 1\alpha, c_{hR} = 4.25 - 1\alpha, c_{pL} = 36 + 4\alpha, c_{pR} = 44 - 4\alpha,$$

$$p_L = 90 + 5\alpha, p_R = 100 - 5\alpha, c_{oL} = 280 + 20\alpha, c_{oR} = 320 - 20\alpha$$

Now, [table 3](#) and [table 4](#) represent the values of different decision variables and objective function in different level of aspirations in the cases of (i)-gH (L-R) differentiability and (ii)-gH (R-L) differentiability respectively.

Now, utilizing subsection 3.4 on the numerical values of Table 3 we get, $\bar{l} = 0.6772$ and $\bar{r} = 0.8652$ and then optimum cycle time is 2.5 months, production run time is 1.74 months and the

Average profit

$$= \text{Crisps value of the objective} \times (1 + \bar{r} - \bar{l})$$

$$= \$5988.81$$

and order quantity = 74.96 units

\

Now, utilizing subsection 3.4 on the numerical values of Table 4 we get, $\bar{l} = 0.8845$ and $\bar{r} = 1.1933$ and then optimum cycle time is 2.5 months, production run time is 1.74 months and the average profit = \$Crisps value of the objective $\times (1 + \bar{r} - \bar{l})$ and order quantity = 74.58 units respectively.
= \$6597.78

6.3 Graphical illustrations

We shall draw several graphs using the data set obtained from Table 2, 3 and 4.

Figure 3 shows that in crisp model the average profit function gets minimum value in compared to fuzzy models. On the other hand, Case 2 gives the maximum average profit of the proposed model.

From Figure 4, we see that at cycle time $T = 1$ month the profit of the inventory model assumes lower value. Then profit function began to increase and reaches its maximum at $T = 2.5$ months. After that the profit function is going to decrease.

In Figure 5 it is seen that the multi-objective functions obtained from fuzzy problem (Case 2) are

getting more and closer to the crisp value (near \$5000) whenever the aspiration level is going to increase from 0.1 to 0.9.

From Figure 6 we see that lower objective function (TAP_L), plane like surface gets maximum value at

cycle time 3 months and aspiration level 0.9 whereas Figure 7 indicate that the upper objective function attained maximum value at cycle time 3 months and aspiration level 0.1.

Figure 8 explore that the span of lower objective functions due to different cycle times is gradually increases with respect to the change of aspiration level. But for the upper objective function it began to decrease and they are going to intersect near the aspiration level 0.9 keeping the profit value near \$5000.

7. Merits and Demerits of the proposed approach

In this paper, an EPQ model is studied under fuzzy uncertainty with fuzzy differential equation as a working tool. The definition of generalized Hukuhara derivative is taken to make sense of the fuzzy derivative. The approach adopted in this article has some advantages:

- (i) Very frequently, the researchers solve ordinary differential equations to obtain a crisp model then they use defuzzification techniques for fuzzy valued parameters and variables. But, doing so, they ignore the need of fuzzy differential equations. In this proposed approach, anybody can control and estimate the defuzzified value of the fuzzy parameters in more concrete way.
- (ii) New defuzzification formula in terms of aggregation of fuzzy outcomes is very much helpful towards definite decision making that involves multi-valued objective functions.

On the other hand, a drawback of the proposed approach cannot be over looked. The fuzzy differential equations are solved by two methods one of them is L-R type gH method and the other one is R-L type gH method. So, the proposed approach will take much computational time for more complicated problems.

9. Conclusion and future research scope

The present study discusses a production inventory model considering the demand function which is depending on unit selling price and on hand stock of the inventory. The profit function of the proposed model has been analysed under crisp and fuzzy environment because of several parametric flexibility. In the process of constructing the fuzzy profit function we have utilized generalized Hukuhara derivative which are directly associated with the α -cuts of fuzzy numbers. However, we have developed a new defuzzification method for the fuzzy mathematical model to capture the multi-objective optimization problem. This new defuzzification method is nothing but the aggregation of several objective values obtained at different aspiration levels. Aggregation formula is used as because the spans of lower and upper objective functions are dissimilar and hence, they carry more uncertainty as a whole. In fact, the model has been studied in two different derivative approaches where the α -cuts of the fuzzified function assume increasing (case-I, L-R type gH method) and decreasing (case-II, R-L type gH method) values respectively. Our numerical result shows that the crisp solution is quite inferior than both the solutions obtained from fuzzy problem. Sensitivity analysis of the fuzzy problem has been made by varying different aspiration level α . The comparative study reveals that the profit function gets higher value 30.88% more for case-II and that for case I, it becomes 18.8% more profit keeping the optimum inventory cycle time and production run time unaltered with respect to crisp model. Moreover, the optimum order quantity becomes 74.58 units for case II and that for case I it is 74.96 units which are slightly higher than that for crisp model. The basic managerial insight as well as the novelty of the current study is focused from the fuzzy model that utilizes fuzzy R-L gH derivatives and the newly defined defuzzification aggregation method exclusively.

Conflict of interest

The authors declare that they have no conflict of interest regarding the publication of this article.

Acknowledgements

The authors are thankful to the honourable Editor-in chief, Associate Editors and anonymous reviewers for their valuable comments and suggestions to improve the quality of this article.

References

1. Harris, F.W. "How many parts to make at once. Factory", *The Magazine of Management*, **10**(2), pp. 135-136(1915).
2. Taft, E.W. "The Most Economical Production Lot", *Iron Age*, **101**, pp. 1410-1412(1918).

3. Taleizadeh, A.A. "Lot sizing Model with advance payment pricing and disruption in supply under planned partial back ordering", *International Transactions in Operational Research*, **24**(4), pp.783-800(2017).
4. Lashgari, M., Taleizadeh, A.A., Sana, S.S. "An inventory control problem for deteriorating items with back ordering and financial considerations under two level of trade credit linked to order quantity", *Journal of Industrial and Management Optimization*, **12**(3), pp. 1091-1119(2016).
5. Taleizadeh, A.A. and Pentico, D.W. "An economic order quantity model with a known price increase and partial backordering", *European Journal of Operational Research*, **228**(3), pp. 516-525(2013).
6. Zhang, C., You, M., Han, G. "Integrated supply chain decisions with credit-linked demand: A Stackelberg approach", *Scientia Iranica*, **28**(2), pp. 927-949 (2021).
7. Al-Amin Khan, M., Shaikh, A.A., Konstantaras, I., Bhunia, A.K., CárdenasBarrón, L.E. "Inventory models for perishable items with advanced payment, linearly time-dependent holding cost and demand dependent on advertisement and selling price", *International Journal of Production Economics*, **230**, 107804 (2020).
8. Al-Amin Khan, M., Ahmed, S., Babu, M.S., Sultana, N. "Optimal lot-size decision for deteriorating items with price-sensitive demand, linearly time dependent holding cost under all-units discount environment", *International Journal of Systems Science: Operations & Logistics*, pp. 1-14(2020).
9. Al-Amin Khan, M., Shaikh, A.A., Panda, G., Konstantaras, I. "Inventory system with expiration date: Pricing and replenishment decisions", *Computers & Industrial Engineering*, **132**, pp. 232-247(2019).
10. Kim, J., Huang, H., Shinn, S. "An optimal policy to increase supplier's profit wit price dependent demand functions", *Production Planning and Control*, **6**(1), pp. 45-50(1995).
11. Mukhopadhyay, S., Mukherjee, R.N., Chaudhuri, K.S. "Joint pricing and ordering policy for a deteriorating inventory", *Computers & Industrial Engineering*, **47**(4), pp. 339-349(2004).
12. Sana, S.S. "Price sensitive demand and random sales price- a news boy problem", *International Journal of Systems Science*, **43**(3), pp. 491-498(2012).
13. Pal, B., Sana, S.S., Chaudhuri, K. "Two echelon manufactures retailer supply chain strategies with price, quality and promotional effort sensitive demand", *International Transaction of Operational Research*, **22**(6), pp. 1071-1095(2015).
14. Alfares, H.K. and Ghaithan, A.M. "Inventory and pricing model with price-dependent demand, time varying holding cost and quantity discounts", *Computers & Industrial Engineering*, **94**, pp. 170-177(2016).
15. Giri, B.C., Pal, S., Goswami, A., Chaudhuri, K.S. "An inventory model for deteriorating items with stock dependent demand rate", *European Journal of Operational Research*, **95**(3), pp. 604-610(1996).
16. Mandal, M., Roy, T.K., Maity, M. "A fuzzy inventory model of deteriorating items with stock dependent demand under limited storage space", *OPSEARCH*, **35**(4), pp. 323-337(1998).
17. Mandal, M. and Maity, M. "Inventory of damageable items with variable replenishment rate, stock dependent demand and some units in hand", *Applied Mathematical Modelling*, **23**(10), 799-807(1999).
18. Dye, C.Y. "A deteriorating inventory model with stock dependent demand and partial backlogging under conditions of permissible delay in payments", *OPSEARCH*, **39**(3-4), pp. 189-201(2002).
19. Alfares, H.K. "Inventory model with stock level dependent demand rate and variable holding cost", *International Journal of Production Economics*, **108**(1-2), pp. 259-265(2007).
20. Datta, T.K. and Paul, K. "An inventory system with stock dependent, price sensitive demand rate", *Production Planning and Control*, **12**(1), pp. 13-20(2001).
21. Teng, J.T. and Chang, C.T. "Economic production quantity models for deteriorating items with price-stock dependent demand", *Computers and Operations Research*, **32**(2), pp. 297-308(2005).
22. Sana, S.S. "An EOQ model for salesman initiatives, stock and price dependent demand of similar products –a dynamical system", *Applied Mathematics and Computation*, **218**(7), pp. 3277-3288(2011).
23. Al-Amin Khan, M., Shaikh, A.A., Panda, G.C., Konstantaras, I., CárdenasBarrón, L.E. "The effect of advance payment with discount facility on supply decisions of deteriorating products whose demand is both price and stock dependent", *International Transactions in Operational Research*, **27**(3), pp. 1343-1367(2020).
24. Sarkar, B., Mandal, B., Sarkar, S. "Quality improvement and backorder price discount under controllable lead time in an inventory model", *Journal of Manufacturing Systems*, **35**, pp. 26–36(2015).

25. Sarkar, B., Tayyab, M., Kim, N., Habib, M.S. "Optimal production delivery policies for supplier and manufacturer in a constrained closed-loop supply chain for returnable transport packaging through metaheuristic approach", *Computers & Industrial Engineering*, **135**, pp. 987–1003(2019).
26. Sebatjane, M., Adetunji, O. "Optimal lot-sizing and shipment decisions in a three-echelon supply chain for growing items with inventory level- and expiration date-dependent demand", *Applied Mathematical Modelling*, **90**, pp. 1204-1225(2021).
27. Sarkar, B., Sarkar, M., Ganguly, B., Cárdenas-Barrón, L.E. "Combined effects of carbon emission and production quality improvement for fixed lifetime products in a sustainable supply chain management", *International Journal of Production Economics*, **231**, 107867(2021).
28. Zadeh, L.A. "Fuzzy sets", *Information and Control*, **8**(3), 338-353(1965).
29. Bellman, R.E. and Zadeh, L.A. "Decision making in a fuzzy environment". *Management Science*, **17**, pp. 141–164(1970).
30. Park, K.S. "Fuzzy set theoretic interpretation of economic order quantity", *IEEE Transactions on Systems, Man and Cybernetics*, **17**(6), pp.1082-1084(1987).
31. De, S.K. and Beg, I. "Triangular dense fuzzy sets and new defuzzification methods", *Journal of Intelligent & Fuzzy Systems*, **31**, pp. 469–477(2016).
32. De, S.K. and Beg, I. "Triangular dense fuzzy Neutrosophic sets", *Neutrosophic Sets & Systems*, **13**, pp. 24–37(2016).
33. De, S.K. "Triangular Dense Fuzzy Lock Set", *Soft Computing*, **22**(21), pp. 7243-7254(2018).
34. De, S.K., and Mahata, G.C. "A comprehensive study of an economic order quantity model under fuzzy monsoon demand", *Sadhana*, **44**(89), pp. 1-12(2019).
35. Maity, S., Chakraborty, A., De, S.K., Mondal, S.P., Alam, S. "A comprehensive study of a backlogging EOQ model with nonlinear heptagonal dense fuzzy environment", *RAIRO-Operations Research*, **56**, pp. 267-286 (2018).
36. Maity, S., De, S.K., Mondal, S.P. "A Study of an EOQ Model under Lock Fuzzy Environment", *Mathematics*, **7**(75), pp.1-23 (2019).
37. Maity, S., De, S.K., Pal, M. "Two Decision Makers' Single Decision over a Back Order EOQ Model with Dense Fuzzy Demand Rate", *Finance and Market*, **3**(1), pp.1-11(2018).
38. Karmakar, S., De, S.K., Goswami, A. "A pollution sensitive dense fuzzy economic production quantity model with cycle time dependent production rate", *Journal of Cleaner Production*, **154**, pp. 139-150(2017).
39. Karmakar, S., De, S.K., Goswami, A. "A pollution sensitive remanufacturing model with waste items: Triangular dense fuzzy lock set approach", *Journal of Cleaner Production*, **187**, pp. 789-803 (2018).
40. Rahaman, M., Mondal, S.P., Alam, S., Goswami, A. "Synergetic study of inventory management problem in uncertain environment based on memory and learning effects", *Sādhana*, **46**(39), pp. 1-20 (2021).
41. De, S.K. and Mahata, G.C. "A cloudy fuzzy economic order quantity model for imperfect-quality items with allowable proportionate discounts", *Journal of Industrial Engineering International*, **15** pp. 571-583(2019).
42. De, S.K. and Mahata, G.C. "Decision of a fuzzy inventory with fuzzy backorder model under cloudy fuzzy demand rate", *International Journal of Applied and Computational Mathematics*, **3**, pp. 2593-2609 (2017).
43. Aghamohagheghi, M., Hashemi, S., Tavakkoli-Moghaddam, R. "A new decision approach to the sustainable transport investment selection based on the generalized entropy and knowledge measure under an interval-valued Pythagorean fuzzy environment", *Scientia Iranica*, **28**(2), pp. 892-911(2021).
44. Guleria, A. and Bajaj, R. "T -spherical fuzzy soft sets and its aggregation operators with application in decision-making", *Scientia Iranica*, **28**(2), pp. 1014-1029(2021).
45. Chang, S. L. And Zadeh, L.A. "On fuzzy mapping and control", *IEEE Transaction on Systems, Man and Cybernetics*, **2**(1), pp. 30-34(1972).
46. Kaleva, O. "Fuzzy differential equations", *Fuzzy Sets and Systems*, **24**(3), pp. 301-317(1987).
47. Bede, B. "A note on "two-point boundary value problems associated with nonlinear fuzzy differential equations", *Fuzzy Sets and Systems*, **157**(7), pp. 986-989(2016).
48. Bede, B., Rudas, I.J, Bencsik, A.L. "First order linear fuzzy differential equations under generalized differentiability", *Information Science*, **177**(7), 1648-1662(2007).

49. Bede, B. and Gal, S.G. "Generalizations of the differentiability of fuzzy –number-valued functions with applications to fuzzy differential equations", *Fuzzy Sets and Systems*, **151**(3), pp. 581-599(2005).
50. Allahviranloo, T., Abbasbandy, S., Salahsour, S., Hakimzadeh, A. "A new method for solving fuzzy linear differential equations", *Computing*, **92**(2), pp. 181-197(2011).
51. Buckley, J.J. and Feuring, T. "Fuzzy differential equations", *Fuzzy Sets and Systems*, **110**(1), pp. 43-54(2000).
52. Buckley, J.J. and Feuring, T. "Fuzzy initial value problem for n-th order linear differential equations", *Fuzzy Sets and Systems*, **121**(2), pp. 247-255(2001).
53. Allahviranloo, T. and Ahmadi, M.B. "Fuzzy Lapalace transforms", *Soft Computing*, **14**(3), pp. 235-243(2010).
54. Mondal, S.P. and Roy, T.K. "First order linear homogeneous fuzzy ordinary differential equation based on the Lagrange multiplier method", *Journal of Soft Computing and Applications*, pp. 1-17(2013).
55. Rahaman, M., Mondal, S.P., Algehyne, E.A., Biswas, A., Alam, S. "A method for solving linear difference equation in Gaussian fuzzy environments", *Granular Computing* (2021). <https://doi.org/10.1007/s41066-020-00251-1>
56. Das, B., Mahapatra, N.K., Maity, M. "Initial- valued first order fuzzy differential equation in bi-level inventory model with fuzzy demand", *Mathematical Modelling and Analysis*, **13**(4), pp. 493-512(2008).
57. Guchhait, P., Maity, M. K., Maity, M. "A production inventory model with fuzzy production and demand using fuzzy differential equation: An interval compared genetic algorithm approach", *Engineering Applications of Artificial Intelligence*, **26**(2), pp.766-778(2013).
58. Mondal, M., Maity, M.K., Maity, M. "A Production-recycling model with variable demand, demand dependent fuzzy return rate: A fuzzy differential approach", *Computer & Industrial Engineering*, **64**(1), pp. 318-332(2013).
59. Majumder, P., Mondal, S.P., Bera, U.K., Maity, M. "Application of Generalized Hukuhara derivative approach in an economic production quantity model with partial trade credit policy under fuzzy environment", *Operations Researches Perspectives*, **3**, pp.77-91(2016).
60. Mondal, S.P. "Solution of Basic inventory model in fuzzy and interval environment: fuzzy and interval differential equation approach", *Fuzzy and Rough Set Theory in Organizational Decision Making*, **4**, (2017).
61. Debnath, B.K., Majumder, P., &Bera, U.K. "Multi-objective sustainable fuzzy economic production quantity (SEEPQ) model with demand as type-2 fuzzy number: A fuzzy differential equation approach", *Hacettepe Journal of Mathematics &Statistics*, **48**(1), pp. 112-139(2019).
62. Rahaman, M., Mondal, S.P., Alam, S. Khan, N.A., Biswas, A. "Interpretation of exact solution for fuzzy fractional non-homogeneous differential equation under the Riemann–Liouville sense and its application on the inventory management control problem", *Granular Computing*, (2020). <https://doi.org/10.1007/s41066-020-00241-3>
63. Rahaman, M., Mondal, S.P., Shaikh, A.A., Pramanik, P., Roy, S., Maity, M.K., Mondal, R., De, D. "Artificial bee colony optimization-inspired synergetic study of fractional-order economic production quantity model", *Soft Computing*, **24**, pp.15341-15359(2020).

Appendix

Simplifying the system of differential equations described by Eq. (52):

$$\left\{ \begin{array}{l} \dot{q}_R(t, \alpha) = -a_3 q_R(t, \alpha) - b_3 q_L(t, \alpha) + c_3 \\ \dot{q}_L(t, \alpha) = -a_4 q_R(t, \alpha) - b_4 q_L(t, \alpha) + c_4 \\ \text{with } q_L(0, \alpha) = q_R(0, \alpha) = 0 \\ \text{where } a_3 = n + c, b_3 = \theta_{1L}(\alpha), \\ c_3 = m - a + b p_L(\alpha), \\ a_4 = \theta_{1R}(\alpha), b_4 = n + c, \\ c_4 = m - a + b p_R(\alpha) \end{array} \right. \quad (\text{A.1})$$

The system of differential equations described by Eq. (A.1) can be written as:

$$q_R(t, \alpha) + \lambda q_L(t, \alpha) = \frac{(c_3 + \lambda c_4)}{(a_3 + \lambda a_4)} \left\{ 1 - e^{-(a_3 + \lambda a_4)t} \right\} \quad (\text{A.2})$$

The constant λ is chosen in such a manner that the following relationship holds:

$$\frac{(b_3 + \lambda b_4)}{(a_3 + \lambda a_4)} = \lambda \quad (\text{A.3})$$

The above relationship is actually a quadratic equation which produces two roots, say, λ_1 and λ_2 .

Then, proceeding as the productive phase of Case 1, a system of simultaneous equations is obtained as:

$$\left\{ \begin{array}{l} q_{1R}(t, \alpha) = \frac{A_5 \lambda_4 (1 - e^{-B_5 t}) - A_6 \lambda_3 (1 - e^{-B_6 t})}{\lambda_4 - \lambda_3} \\ q_{1L}(t, \alpha) = \frac{A_5 (1 - e^{-B_5 t}) - A_6 (1 - e^{-B_6 t})}{\lambda_3 - \lambda_4} \\ \text{where } A_5 = \frac{(c_3 + \lambda_3 c_4)}{(a_3 + \lambda_3 a_4)}, B_5 = a_3 + \lambda_3 a_4 \\ A_6 = \frac{(c_3 + \lambda_4 c_4)}{(a_3 + \lambda_4 a_4)}, B_6 = a_3 + \lambda_4 a_4 \\ 0 \leq t \leq t_1 \end{array} \right. \quad (\text{A.4})$$

Simplifying the system of differential equations described by Eq. (53):

$$\left\{ \begin{array}{l} \dot{q}_L(t, \alpha) = -f_4 q_R(t, \alpha) - g_4 q_L(t, \alpha) - h_4 \\ \dot{q}_R(t, \alpha) = -f_3 q_R(t, \alpha) - g_3 q_L(t, \alpha) - h_3 \\ q_L(T, \alpha) = q_R(T, \alpha) = 0 \\ \text{where } f_3 = c, g_3 = \theta_{2L}(\alpha), h_3 = a - b p_L(\alpha) \\ f_4 = \theta_{2R}(\alpha), g_4 = c, h_4 = a - b p_R(\alpha) \end{array} \right. \quad (\text{A.5})$$

The system of differential equations described by Eq. (A.5) can be written as:

$$q_R(t, \alpha) + \mu q_L(t, \alpha) = \frac{(h_3 + \mu h_4)}{(f_3 + \mu f_4)} \left\{ e^{(f_3 + \mu f_4)(T-t)} - 1 \right\}$$

(A.6)

The constant μ is chosen in such a manner that the following relationship holds

$$\frac{(g_3 + \mu g_4)}{(f_3 + \mu f_4)} = \mu \quad (\text{A.7})$$

Then, proceeding as the non-productive phase of Case 1, a system of simultaneous equations is obtained as:

$$\left\{ \begin{array}{l} q_{2L}(t, \alpha) = \frac{A_7 \left\{ e^{B_7(T-t)} - 1 \right\} - A_8 \left\{ e^{B_8(T-t)} - 1 \right\}}{\mu_3 - \mu_4} \\ q_{2R}(t, \alpha) = \frac{A_7 \mu_4 \left\{ e^{B_7(T-t)} - 1 \right\} - A_8 \mu_3 \left\{ e^{B_8(T-t)} - 1 \right\}}{\mu_4 - \mu_3} \\ \text{where } A_7 = \frac{(h_3 + \mu_3 h_4)}{(f_3 + \mu_3 f_4)}, B_7 = f_3 + \mu_3 f_4, \\ A_8 = \frac{(h_3 + \mu_4 h_4)}{(f_3 + \mu_4 f_4)}, B_8 = f_3 + \mu_4 f_4, \\ t_1 \leq t \leq T \end{array} \right. \quad (\text{A.8})$$

Some relevant fuzzy valued costs and revenue in parametric form:

- (i) The set-up cost $\tilde{c}_0 = [c_{0L}(\alpha), c_{0R}(\alpha)]$.
- (ii) $\tilde{c}_h = [c_{hL}(\alpha), c_{hR}(\alpha)]$ the holding cost per unit product.

Therefore, the holding cost, $HC = [HC_L(\alpha), HC_R(\alpha)]$ is given by:

$$\begin{aligned} HC_L(\alpha) &= c_{hL} \left[\int_0^{t_1} q_{1L}(t, \alpha) dt + \int_{t_1}^T q_{2L}(t, \alpha) dt \right] \\ &= c_{hL} \left[\int_0^{t_1} \left\{ \frac{A_5 (1 - e^{-B_5 t}) - A_6 (1 - e^{-B_6 t})}{\lambda_3 - \lambda_4} \right\} dt \right. \\ &\quad \left. + \int_{t_1}^T \left\{ \frac{A_7 \left\{ e^{B_7(T-t)} - 1 \right\} - A_8 \left\{ e^{B_8(T-t)} - 1 \right\}}{\mu_3 - \mu_4} \right\} dt \right] \quad (\text{A.9}) \\ &= c_{hL} \{I_3 + I_4\} \end{aligned}$$

The values of I_3 and I_4 are assumed as:

$$\left\{ \begin{array}{l} I_3 = \frac{\frac{A_5}{B_5}(e^{-t_1 B_5} + t_1 B_5 - 1) - \frac{A_6}{B_6}(e^{-t_1 B_6} + t_1 B_6 - 1)}{\lambda_3 - \lambda_4} \\ I_4 = \frac{\frac{A_7}{B_7}(e^{(T-t_1)B_7} - B_7(T-t_1) - 1) - \frac{A_8}{B_8}(e^{(T-t_1)B_8} - B_8(T-t_1) - 1)}{\mu_3 - \mu_4} \end{array} \right.$$

(A.10)

$$\begin{aligned} HC_R(\alpha) &= c_{hR} \left[\int_0^{t_1} q_{1R}(t, \alpha) dt + \int_{t_1}^T q_{2R}(t, \alpha) dt \right] \\ &= c_{hR} \left[\int_0^{t_1} \left\{ \frac{A_5 \lambda_4 (1 - e^{-B_5 t}) - A_6 \lambda_3 (1 - e^{-B_6 t})}{\lambda_4 - \lambda_3} \right\} dt \right. \\ &\quad \left. + \int_{t_1}^T \left\{ \frac{A_7 \mu_4 \{e^{B_7(T-t)} - 1\} - A_8 \mu_3 \{e^{B_8(T-t)} - 1\}}{\mu_4 - \mu_3} \right\} dt \right] \\ &= c_{hR} \{J_3 + J_4\} \end{aligned} \quad (A.11)$$

The values of J_3 and J_4 are assumed as:

$$\left\{ \begin{array}{l} J_3 = \frac{\frac{A_5 \lambda_4}{B_5}(e^{-t_1 B_5} + B_5 t_1 - 1) - \frac{A_6 \lambda_3}{B_6}(e^{-t_1 B_6} + B_6 t_1 - 1)}{\lambda_4 - \lambda_3} \\ J_4 = \frac{\frac{A_7 \mu_4}{B_7}(e^{(T-t_1)B_7} - B_7(T-t_1) - 1) - \frac{A_8 \mu_3}{B_8}(e^{(T-t_1)B_8} - B_8(T-t_1) - 1)}{\mu_4 - \mu_3} \end{array} \right.$$

(iii) $\tilde{p} = [p_L(\alpha), p_R(\alpha)]$ = The sales revenue per unit product.

Therefore, the sales revenue $SR = [SR_L(\alpha), SR_R(\alpha)]$ during the entire cycle is given by:

$$\begin{aligned}
SR_L(\alpha) &= p_L(\alpha) \left[\int_0^{t_1} \{a - bp_R(\alpha) + cq_{1L}(t, \alpha)\} dt \right. \\
&\quad \left. + \int_{t_1}^T \{a - bp_R(\alpha) + cq_{2L}(t, \alpha)\} dt \right] \\
&= p_L(\alpha) \left[\{a - bp_R(\alpha)\}T + c\{I_3 + I_4\} \right] \quad (A.12)
\end{aligned}$$

and

$$\begin{aligned}
SR_R(\alpha) &= p_R(\alpha) \left[\int_0^{t_1} \{a - bp_L(\alpha) + cq_{1R}(t, \alpha)\} dt \right. \\
&\quad \left. + \int_{t_1}^T \{a - bp_L(\alpha) + cq_{2R}(t, \alpha)\} dt \right] \\
&= p_R(\alpha) \left[\{a - bp_L(\alpha)\}T + c\{J_3 + J_4\} \right] \quad (A.13)
\end{aligned}$$

(iv) $\tilde{c}_p = [c_{pL}(\alpha), c_{pR}(\alpha)]$ = The production cost per unit product.

Therefore, the production cost $= [PC_L(\alpha), PC_R(\alpha)]$ during the entire cycle is given by:

$$\begin{aligned}
PC_L(\alpha) &= c_{pL} \left[\int_0^{t_1} \{m - nq_{1R}(t, \alpha)\} dt \right] \\
&= c_{pL} [mt_1 - nJ_3] \quad (A.14)
\end{aligned}$$

$$\begin{aligned}
PC_R(\alpha) &= c_{pR} \left[\int_0^{t_1} \{m - nq_{1L}(t, \alpha)\} dt \right] \\
&= c_{pR} [mt_1 - nI_3] \quad (A.15)
\end{aligned}$$

Mostafijur Rahaman received his B.Sc. (Honours) degree obtaining highest marks among the recipients of B.Sc. (Honours) in Mathematics from University of Kalyani, India in 2015. He later completed M.Sc. in Pure Mathematics from the same university in 2017. Currently, he is a Ph.D. student in the Department of Mathematics, Indian Institute of Engineering Science and Technology, Shibpur, India. He was selected for the Post Graduate Merit Scholarship for Rank Holder (2015-2016) by University Grant Commission (UGC), India during his M.Sc. degree. **He qualified in GATE and joint UGC-CSIR JRF conducted by the Government of India. He also qualified in WBSET conducted by the Government of West Bengal, India.** He is an awardee of UGC-JRF for his Ph.D. tenure by University Grant Commission (UGC). He has published seven research articles in different reputed journals. His recent research works are on supply chain and inventory planning in uncertain environment.

Suman Maity is a state aided college teacher of Raja N.L. Khan Women's College (Autonomous) since 2016. He is also a research scholar of Vidyasagar University in the department of Applied Mathematics. He did his

Masters from Vidyasagar University in the year 2015, West Bengal, India. His research interests are on Inventory management, Operational Research, Fuzzy sets etc. He published many articles in the journals like International Journal of Intelligent Systems, International Journal of Fuzzy System, Journal of Intelligent and Fuzzy System, RAIRO-Operational Research, Mathematics, Granular Computing, Finance and Market etc. He reviewed more than ten articles in several journals like Soft Computing, Computers and Industrial Engineering, Kybernetics, RAIRO-Operational Research, OPSEARCH etc.

Sujit Kumar De is an Associate Professor of Mathematics at Midnapore College (Autonomous), India. He started his research work since 2001. He is also a visiting team member of NCTE, Govt. of India since 2015. His research interests include Uncertain System, Intelligent systems, Artificial Intelligence, Soft Computing, Fuzzy Sets and Systems (Dense, Cloud, monsoon, Doubt, Lock, Intuitionistic, Hesitant fuzzy etc.) Neutrosophic Sets and Systems, Strategic and performance-based game theory in fuzzy system, Leadership Theory in fuzzy system, Finance, Marxian Production Theory, Industrial Pollution and Production Management, Green Supply Chain Management etc. He is the reviewer of more than 60 top ranked international journals. He published more than 92 articles in various reputed international Journals like: Int. J. of Intelligent Systems, Journal of Cleaner Production, Knowledge-Based Systems, Applied Soft Computing, Computers & Industrial Engineering, Soft Computing, Int. J. of Fuzzy Systems, Int.J. of Systems Science, Journal of Intelligent & Fuzzy Systems, Cybernetics and Systems, J. Of Optimization Theory and Applications, Granular Computing, Opsearch, Int. J. of. Systems Science: Operations & Logistics, Neutrosophic Sets and Systems, Applied System Innovation etc. He is an Associate Editor of the Journal of Fuzzy Logic and Modelling in Engineering and the Editorial Board Member of the Journal of Finance and Market and Int. J. of Mathematics and its Applications.

Sankar Prasad Mondal obtained his Bachelor's degree in Mathematics (Hons.) from University of Kalyani, India in 2008. He later completed M.Sc. in Mathematics from **Bengal Engineering and Science University, Shibpur (Currently known as IEST, Shibpur), India** in 2010. He also obtained Ph.D. degree from Indian Institute of Engineering Science and Technology, Shibpur, India in 2014. Currently he is an Assistant Professor in the Department of Applied Science in Maulana Abul Kalam Azad University of Technology, West Bengal, India. Previously, he has worked in the department of Mathematics in Midnapur College (Autonomous) and NIT, Agartala, India. He is having 5 years teaching and 9 years of research experience in the field of operation research, differential equation, fuzzy sets, mathematical biology, optimization theory. He has already published **90** research articles and 10 book chapters. **He is a regular reviewer of several leading international journals.**

Shariful Alam obtained his Bachelor's degree in Mathematics (Hons.) from Department of Mathematics, Kalyani University, Kalyani and completed his Master of Science in Mathematics from Indian Institute of Technology, Kanpur. He also obtained his M.Sc. (Engineering) from Indian Institute of Science, Bangalore and Ph.D. degree from Bengal Engineering and Science University, Shibpur (Currently known as IEST, Shibpur). Currently, He is an Associate Professor in the Department of Mathematics, Indian Institute of Engineering Science and Technology, Shibpur, India and he has more than 18 years teaching experience in total. He qualified in GATE and joint UGC-CSIR JRF conducted by the Government of India. So far, 9 students have been completed their Ph.D. degrees and 5 more are currently working under his supervision. He supervised more than 25 students in their master degree project. He has published more than 90 research papers in reputed journals, mostly in Scopus/SCI-indexed journals and written some books chapters. **He is a regular reviewer of several leading international journals.**

Query 10 & 11: All tables and figures are listed below properly.

Table Sl. No.	Table name	Page No.
1	Major contributionson FDE in inventory management problems	4
2	Crisp optimal solution	11
3	Fuzzy optimal solution for Case 1(L-R type gH method)	11
4	Fuzzy optimal solution for Case 2 (R-L type gH method)	11
Figure Sl. No.	Figure caption	Page No.

1	Visualization of the proposed model	7
2	Schematic Diagram of the Proposed Model	10
3	Optimal solution of crisp and fuzzy models	11
4	Inventory profit vs cycle time	11
5	Fuzzy optimal model	12
6	TAP _L vs Aspiration level and Cycle time	12
7	TAP _R Vs Aspiration level and Cycle time	12
8	Aspiration level vs Average Profit	12

Table 1. Major contributionson FDE in inventory management problems

Authors with ref.no.	Model type	Demand rate	Production rate	Deterioration	Solution approach
Das et al. [56]	Bi-level EOQ	Time dependent fuzzy L-R type	----	Yes	Fast and Elitist Multi-Objective Genetic Algorithm (MOGA) and Interactive fuzzy decision making
Guchhait et al. [57]	EPQ	Time and selling price dependent fuzzy TFN	Fixed fuzzy TFN	--	Interval Compared Genetic Algorithm
Mondal et al. [58]	EPQ	Displayed inventory dependent	Fixed fuzzy	--	Modified Graded Mean Integration Value (MGMIV) and Fuzzy Preference Ordering of Interval (FPOI)
Majumder et al. [59]	EPQ	Decreasing function of time	Fuzzy constant	Yes	Generalized Hukuhara derivative approach
Mondal [60]	EOQ	Fuzzy constant	---	-	Fuzzy Differential and Interval Differential approach
Debnath et al. [61]	SFEPQ	Stock and Production Price dependent type-2 fuzzy number	Linearly dependent on demand	---	Generalized Hukuhara derivative approach
Rahaman et al. [62]	Fractional EPQ	Fuzzy constant	Fuzzy constant	Yes	Riemann-Liouville fractional differential equation under fuzzy uncertainty
This paper	EPQ	Stock and price dependent	Stock dependent	Yes	Generalized Hukuhara derivative approach

Table 2. Crisp optimal solution


T	t_1^*	Q^*	Z^*
1	0.582	39.57	4860.22
1.5	0.933	54.50	4988.65
2	1.322	65.97	5035.41
2.5	1.742	74.29	5041.09
3	2.19	80.05	5025.49
3.5	2.653	83.87	5000.21
4	3.13	86.33	4971.93

Table 3. Fuzzy optimal solution for Case 1(L-R type gH method)

α	T	t_1^*	q_L	q_R	TAP_L	TAP_R
0.1	[1, 2.5]	[0.58, 1.74]	[39.58, 73.95]	[39.59, 75.09]	[1730.46, 3013.21]	[4663.61, 4763.77]
0.2	[1, 2.5]	[0.58, 1.74]	[39.55, 73.98]	[39.57, 75.00]	[1853.56, 3113.29]	[4460.75, 4633.35]
0.3	[1, 2.5]	[0.58, 1.74]	[39.55, 74.03]	[39.58, 74.92]	[1976.81, 3213.38]	[4258.07, 4528.83]
0.4	[1, 2.5]	[0.58, 1.74]	[39.55, 74.06]	[39.58, 74.84]	[2100.24, 3313.51]	[4055.58, 4441.00]
0.5	[1, 2.5]	[0.58, 1.74]	[39.55, 74.10]	[39.58, 74.84]	[2223.88, 3413.68]	[3853.30, 4353.22]
0.6	[1, 2.5]	[0.58, 1.74]	[39.56, 74.14]	[39.58, 74.65]	[2347.67, 3513.87]	[3651.19, 4265.49]
0.7	[1, 2.5]	[0.58, 1.74]	[39.56, 74.18]	[39.58, 74.56]	[2471.67, 3614.09]	[3449.31, 4177.80]
0.8	[1, 2.5]	[0.58, 1.74]	[39.57, 74.23]	[39.58, 74.47]	[2595.85, 3714.36]	[3247.62, 4090.15]
0.9	[1, 2.5]	[0.58, 1.74]	[39.57, 74.27]	[39.58, 74.38]	[2720.17, 3814.64]	[3046.10, 4002.53]

Table 4. Fuzzy optimal solution for Case 2 (R-L type gH method)

α	T	t_1^*	q_L	q_R	TAP_L	TAP_R
0.1	[1, 3]	[0.58, 2.18]	[39.55, 80.18]	[39.58, 80.62]	[3892.99, 4036.27]	[5439.30, 6838.66]
0.2	[1, 3]	[0.58, 2.18]	[39.55, 80.16]	[39.58, 80.56]	[3984.97, 4141.53]	[5359.42, 6632.37]
0.3	[1, 3]	[0.58, 2.18]	[39.55, 80.15]	[39.58, 80.49]	[4076.96, 4246.98]	[5279.58, 6426.31]
0.4	[1, 3]	[0.58, 2.18]	[39.55, 80.13]	[39.58, 80.43]	[4168.99, 4352.62]	[5199.78, 6220.49]
0.5	[1, 3]	[0.58, 2.18]	[39.56, 80.12]	[39.58, 80.37]	[4261.06, 4458.45]	[5120.03, 6014.88]
0.6	[1, 3]	[0.58, 2.18]	[39.56, 80.10]	[39.58, 80.36]	[4353.16, 4564.46]	[5040.31, 5809.53]
0.7	[1, 3]	[0.58, 2.18]	[39.56, 80.09]	[39.58, 80.24]	[4445.28, 4670.67]	[4960.64, 5604.39]
0.8	[1, 3]	[0.58, 2.18]	[39.57, 80.07]	[39.58, 80.17]	[4537.44, 4777.06]	[4880.99, 5399.50]
0.9	[1, 3]	[0.58, 2.18]	[39.57, 80.06]	[39.57, 80.11]	[4629.62, 4883.64]	[4801.40, 5194.84]

**Figure 1.** Visualization of the proposed model




Figure 2: Schematic Diagram of the Proposed Model




Figure 3. Optimal solution of crisp and fuzzy models




Figure 4. Inventory profit vs cycle time




Figure 5. Fuzzy optimal model




Figure 6. TAP_L vs Aspiration level and Cycle time




Figure 7. TAP_R Vs Aspiration level and Cycle time




Figure 8. Aspiration level vs Average Profit

Mostafijur Rahaman received his B.Sc. (Honours) degree obtaining highest marks among the recipients of B.Sc. (Honours) in Mathematics from University of Kalyani, India in 2015. He later completed M.Sc. in Pure Mathematics from the same university in 2017. Currently, he is a Ph.D. student in the Department of Mathematics, Indian Institute of Engineering Science and Technology, Shibpur, India. He was selected for the Post Graduate Merit Scholarship for Rank Holder (2015-2016) by University Grant Commission (UGC), India during his M.Sc. degree. **He qualified in GATE and joint UGC-CSIR JRF conducted by the Government of India. He also qualified in WBSET conducted by the Government of West Bengal, India.** He is an awardee of UGC-JRF for his Ph.D. tenure by University Grant Commission (UGC). He has published seven research articles in different reputed journals. His recent research works are on supply chain and inventory planning in uncertain environment.

Suman Maity is a state aided college teacher of Raja N.L. Khan Women's College (Autonomous) since 2016. He is also a research scholar of Vidyasagar University in the department of Applied Mathematics. He did his Masters from Vidyasagar University in the year 2015, West Bengal, India. His research interests are on Inventory management, Operational Research, Fuzzy sets etc. He published many articles in the journals like International Journal of Intelligent Systems, International Journal of Fuzzy System, Journal of Intelligent and Fuzzy System, RAIRO-Operational Research, Mathematics, Granular Computing, Finance and Market etc. He reviewed more than ten articles in several journals like Soft Computing, Computers and Industrial Engineering, Kybernetics, RAIRO-Operational Research, OPSEARCH etc.

Sujit Kumar De is an Associate Professor of Mathematics at Midnapore College (Autonomous), India. He started his research work since 2001. He is also a visiting team member of NCTE, Govt. of India since 2015. His research interests include Uncertain System, Intelligent systems, Artificial Intelligence, Soft Computing, Fuzzy Sets and Systems (Dense, Cloud, monsoon, Doubt, Lock, Intuitionistic, Hesitant fuzzy etc.) Neutrosophic Sets and Systems, Strategic and performance-based game theory in fuzzy system, Leadership

Theory in fuzzy system, Finance, Marxian Production Theory, Industrial Pollution and Production Management, Green Supply Chain Management etc. He is the reviewer of more than 60 top ranked international journals. He published more than 92 articles in various reputed international Journals like: Int. J. of Intelligent Systems, Journal of Cleaner Production, Knowledge-Based Systems, Applied Soft Computing, Computers & Industrial Engineering, Soft Computing, Int. J. of Fuzzy Systems, Int.J. of Systems Science, Journal of Intelligent & Fuzzy Systems, Cybernetics and Systems, J. Of Optimization Theory and Applications, Granular Computing, Opsearch, Int. J. of. Systems Science: Operations & Logistics, Neutrosophic Sets and Systems, Applied System Innovation etc. He is an Associate Editor of the Journal of Fuzzy Logic and Modelling in Engineering and the Editorial Board Member of the Journal of Finance and Market and Int. J. of Mathematics and its Applications.

Sankar Prasad Mondal obtained his Bachelor's degree in Mathematics (Hons.) from University of Kalyani, India in 2008. He later completed M.Sc. in Mathematics from **Bengal Engineering and Science University, Shibpur (Currently known as IEST, Shibpur), India** in 2010. **He also obtained Ph.D. degree from Indian Institute of Engineering Science and Technology, Shibpur, India in 2014.** Currently he is an Assistant Professor in the Department of Applied Science in Maulana Abul Kalam Azad University of Technology, West Bengal, India. Previously, he has worked in the department of Mathematics in Midnapur College (Autonomous) and NIT, Agartala, India. He is having 5 years teaching and 9 years of research experience in the field of operation research, differential equation, fuzzy sets, mathematical biology, optimization theory. He has already published **90** research articles and 10 book chapters. **He is a regular reviewer of several leading international journals.**

Shariful Alam obtained his Bachelor's degree in Mathematics (Hons.) from Department of Mathematics, Kalyani University, Kalyani and completed his Master of Science in Mathematics from Indian Institute of Technology, Kanpur. **He also obtained his M.Sc. (Engineering) from Indian Institute of Science, Bangalore and Ph.D. degree from Bengal Engineering and Science University, Shibpur (Currently known as IEST, Shibpur).** Currently, **He is an Associate Professor in the Department of Mathematics, Indian Institute of Engineering Science and Technology, Shibpur, India and he has more than 18 years teaching experience in total.** He qualified in GATE and joint UGC-CSIR JRF conducted by the Government of India. So far, 9 students have been completed their Ph.D. degrees and 5 more are currently working under his supervision. He supervised more than 25 students in their master degree project. He has published more than 90 research papers in reputed journals, mostly in Scopus/SCI-indexed journals and written some books chapters. **He is a regular reviewer of several leading international journals.**