

APPENDIX A

Scientia Iranica Journal

The Effect of Crack Position and Applied Force on Fatigue Delamination Behavior of GFRP's in Mixed Mode Test

Abdalla H. Alkaood^{1*}, Adbelhamid I. Gomma², Ibrahim. M. El Fahham², Yasser. S. Mohamed²

^{1*2} Department of Mechanical Engineering, Alexandria University, Faculty of Engineering, Alexandria, Egypt.

^{1*} Corresponding Author's: Tel: 002/045/2862040-Mobile. 002/01220178495 – Postal code 22774 Elbohera governorate-Egypt;

E-mail address : abdallaalkaood@yahoo.com , abdallaalkaood@alexu.edu.eg

The following figures show that, the $2a_c$ - N fatigue curves, illustrated from figure 1 to figure 12 in supplementary data appendix A




Figure 1 $2a_c$ - N curve for $h/t=0.25$ at $P= 323.2$ N




Figure 2 $2a_c$ - N curve for $h/t=0.5$ at $P=323.2$ N




Figure 3 $2a_c$ - N curve for $h/t=0.75$ at $P=323.2$ N




Figure 4 $2a_c$ - N curve for $h/t=0.25$ at $P=264.69$ N




Figure 5 $2a_c$ - N curve for $h/t=0.5$ at $P=264.69$ N




Figure 6 $2a_c$ - N curve for $h/t=0.75$ at $P=264.69$ N




Figure 7 $2a_c$ - N curve for $h/t=0.25$ at $P=205.5$ N




Figure 8 $2a_c$ - N curve for $h/t=0.5$ at $P=205.5$ N




Figure 9 $2a_c$ - N curve for $h/t=0.75$ at $P=205.5$ N




Figure10 $2a_c$ - N curve for $h/t=0.25$ at $P=146.64$ N




Figure 11 $2a_c$ - N curve for $h/t=0.5$ at $P=146.64$ N




Figure 12 $2a_c$ -Ncurve for $h/t=0.75$ at $P=146.64$ N